

# TEMPO

GLAZED PORCELAIN

# floridatile



# NATURAL STONE LOOK

shown on front: **TMP30P 24x48** Ash Cool Gray (polished) & **TMP40P 24x48** Dark Gray (polished)

Tempo from Florida Tile is inspired by the blending of natural stones to create truly unique visuals. Elements of Basalt Stone, Imperial Marble, and Pulpis Spanish Marble are thoughtfully layered together creating intricate soft veining and harmonious movement throughout the surface.

Four captivating color options include: Cotton White – a soft but stately blend of ivory, gold, and light gray; Nature Beige – a delicate beige base infused with striking slivers of brown, gray, and cream; Ash Cool Gray – a base of medium gray with tranquil currents of charcoal and ivory; and Dark Gray – a delicate interlacing of charcoal, brown, copper and ivory over a bed of dark gray.

Porcelain field tile formats include: 12x24, 24x24, and 24x48 available in a matte or polished finish. Further elevating the collection is a chic oval mosaic in a polished finish that creates a stunning point of interest. Complementing these voguish decorative elements with a classic style is a 36-piece mosaic in a matte finish. Rounding out the collection is a 3x24 bullnose in all colors and both finishes.

Tempo glazed porcelain tile is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications.

below: **TMP20 24x48** Nature Beige & **TMP20P 24x48** Nature Beige (polished)



## COLORS




**TMP10** Matte  
**TMP10P** Polished  
Cotton White



**TMP20** Matte  
**TMP20P** Polished  
Nature Beige



**TMP30** Matte  
**TMP30P** Polished  
Ash Cool Gray



**TMP40** Matte  
**TMP40P** Polished  
Dark Gray

## FIELD TILE FORMATS



12x24



24x24



24x48

## MOSAICS



**TMP20/M122**  
Nature Beige 36pc  
(matte only, available in all colors)



**TMP30P/M2X8OVAL**  
Ash Cool Gray Oval  
(polished only, available in all colors)

## TRIMS



**P43N9 3x24**  
Bullnose (matte & polished)

# COTTON WHITE

---



**TMP10** Matte

**TMP10P** Polished

Cotton White

## FIELD TILE FORMATS

---



12x24



24x24



24x48

## MOSAICS

---



**TMP10/M122**

Cotton White 36pc  
(matte only)



**TMP10P/M2X8OVAL**

Cotton White Oval  
(polished only)



# NATURE BEIGE



**TMP20** Matte

**TMP20P** Polished

Nature Beige

## FIELD TILE FORMATS



12x24



24x24



24x48

## MOSAICS



**TMP20/M122**

Nature Beige 36pc  
(matte only)



**TMP20P/M2X8OVAL**

Nature Beige Oval  
(polished only)



# ASH COOL GRAY


---



**TMP30** Matte  
**TMP30P** Polished  
Ash Cool Gray

## FIELD TILE FORMATS

---



## MOSAICS

---




**TMP30/M122**  
Ash Cool Gray 36pc  
(matte only)



**TMP30P/M2X8OVAL**  
Ash Cool Gray Oval  
(polished only)




# DARK GRAY



**TMP40** Matte  
**TMP40P** Polished  
Dark Gray

## FIELD TILE FORMATS



## MOSAICS



**TMP40/M122**  
Dark Gray 36pc  
(matte only)



**TMP40P/M2X8OVAL**  
Dark Gray Oval  
(polished only)



Porcelain Technical Data Properties (Floor)	Results <sup>1</sup>
ANSI® A326.3 <sup>2</sup>	<b>Matte</b> Interior, Wet Plus (IW+) <b>Polished</b> Interior, Dry (ID)
Surface Hardness	7 Mohs
Break Strength	≥ 475 lbf. avg.
Water Absorption	≤ 0.5% <sup>3</sup>
Intended Use <sup>4</sup>	Residential, Light Commercial & Heavy Commercial

<sup>1</sup> Values are offered in good faith as being accurate and typical of normal production. Due to the natural variation of raw materials and manufacturing processes, the values of the purchased product for any particular installation may vary.

<sup>2</sup> For more information, visit [floridatile.com/productuseclassifications](http://floridatile.com/productuseclassifications).

<sup>3</sup> Average production value.

<sup>4</sup> Please visit [www.floridatile.com/intended-use](http://www.floridatile.com/intended-use) for further details.

### Typical Uses

Tempo glazed porcelain tile is appropriate for most residential and commercial wall, countertop, backsplash, and floor applications.

Notice: Not all flooring products are suitable for wet areas, specialized applications, or commercial use. Please refer to the American National Standard Specifications for Ceramic Tile (ANSI® A137.1) for ceramic, stone, and glass installation for specific usage and installation information.

This Florida Tile product will contribute to USGBC LEED® points and the ANSI® approved NAHB® Green Building Points.

Field Tile Nominal Size (in) <sup>1</sup>	Metric (cm)	Pcs./Sq Ft <sup>2</sup>	Thickness <sup>3</sup>	Edge
12x24	30x60	.5	8mm	Rectified
24x24	60x60	.25	9.5mm	Rectified
24x48	60x120	.129	9mm	Rectified

Mosaic	SKU	Nominal Sheet Size (in) <sup>1</sup>	Metric (cm)	Thickness <sup>3</sup>
36pc <sup>4</sup>	M122	12x12	30x30	8mm
Oval <sup>5</sup>	M2x8OVAL	9x15	22x38	8mm

Trim	Shape	SKU	Nominal Size (in) <sup>1</sup>	Metric (cm)
Bullnose		P43N9	3x24	7.5x60

<sup>1</sup> These values may vary from lot to lot.

<sup>2</sup> These values are based on actual sizes including the grout joint.

<sup>3</sup> May not apply to textured surfaces or tiles with uneven back patterns such as mesh mounted mosaics.

<sup>4</sup> Matte only.

<sup>5</sup> Polished only.

### Notes

Color, texture, and finish variations may occur due to the nature of the product.

Color reproductions in this printed piece may vary from actual tile colors. Final selection should be made from actual tile samples.

Country of origin and other product features and characteristics are subject to change due to manufacturing efficiencies and other factors. See retailer or product packaging to verify country of origin and other product characteristics.

### Color Variation



V2 Slight Variation

